







8	7	6	5	4	3	2	1	
CUSTOMER DRAWING	PRELIMINARY			REV.	DESCRIPTION	DESIGN	APPROVAL	DATE
				A	NEW DESIGN	WEIGAO CHENG	RONGZHE GUO	2026.06.29





- NOTES:
- 1.MATERIAL:
CAGE ASSEMBLY: COPPER ALLOY OR STAINLESS STEEL.
EMI SPRING: COPPER ALLOY.
 - 2.FINISH:
CAGE ASSEMBLY: NICKEL PLATED
EMI SPRING: NICKEL PLATED
 - 3.MINIMUM PC BOARD THICKNESS:
SINGLES SIDED:1.57 MIN.
DOUBLE SIDED: 2.2 MIM.
 - 4.DATE CODE APPROXIMATELY MARKED IN THIS AREA.
 - 5.THIS PART MEETS THE RESTRICTION OF HAZARDOUS SUBSTANCES IN ELECTRICAL AND ELECTRONIC EQUIPMENT (ROHS) DIRECTIVE (2011/65/EU).




X.± 1	X.°±3	PART NO.: PEPC14-E000-F0S-1H	LUXSHARETECH									
.X± 0.5	.X°±2.5		CUSTOMER P/N: N/A									
.XX± 0.20	.XX°±1.5											
.XXX± 0.100	.XXX°±0.5	TITLE: OSFP CAGE, 1X4 WITHOUT LP	DWG NO: PEPC14-E000-F0S-1H-01									
UNITS:	mm											
THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF LUXSHARETECH AND SHALL NOT BE REPRODUCED, COPIED OR CUED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF LUXSHARETECH		APPD: RONGZHE GUO 2026.06.29	 <table><tr><td>SCALE</td><td>SHEET</td><td>REV.</td></tr><tr><td>1:1</td><td>1/5</td><td>A</td></tr></table>				SCALE	SHEET	REV.	1:1	1/5	A
	SCALE	SHEET					REV.					
	1:1	1/5					A					
	CHKD: HENGSHAN CHENG 2026.06.29											
	DRAW: WEIGAO CHENG 2026.06.29											










X.± 1	X.°±3
.X± 0.15	.X°±2.5
.XX± 0.10	.XX°±1.5
.XXX± 0.050	.XXX°±0.5
UNITS:	mm

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF LUXSHARETECH AND SHALL NOT BE REPRODUCED, COPIED OR CUED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF LUXSHARETECH

PART NO.: PEPC14-E000-F0S-1H	
TITLE: OSFP CAGE, 1X4 WITHOUT LP	
APPD: RONGZHE GUO 2026.06.29	DRAW: WEIGAO HUANG 2026.06.29
CHKD: HENGSHAN CHENG 2026.06.29	

LUXSHARETECH		
CUSTOMER P/N: N/A		
DWG NO: PEPC14-E000-F0S-1H-01		
	SCALE 1:1	SHEET 5/5
	REV. A	