






PRELIMINARY



RECOMMENDED PCB LAYOUT

X± 1.0	X.°±3	PART NO.: SEE TABLE 1	LUXSHARETECH						
.X± 0.35	.X°±2.5								
.XX± 0.25	.XX°±1.5		CUSTOMER P/N: N/A						
.XXX± 0.10	.XXX°±0.5								
UNITS:	mm	TITLE: Q112 2X2 CAGE WITH HS&LP							
THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF LUXSHARETECH AND SHALL NOT BE REPRODUCED, COPIED OR CUED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF LUXSHARETECH		APPD: RONGZHE GUO 2026.06.24	DWG NO: PQC22—E600—F0S—0R—01						
		CHKD: HENGSHAN CHENG 2026.06.24							
		DRAW: BAUYU DUAN 2026.06.24	 <table><tr><td>SCALE</td><td>SHEET</td><td>REV.</td></tr><tr><td>1:1</td><td>2/6</td><td>A</td></tr></table>			SCALE	SHEET	REV.	1:1
SCALE	SHEET	REV.							
1:1	2/6	A							

PRELIMINARY



RECOMMENDED PCB LAYOUT FOR BELLY TO BELLY APPLICATION

X.± 1.0	X.°±3
.X± 0.35	.X°±2.5
.XX± 0.25	.XX°±1.5
.XXX± 0.10	.XXX°±0.5
UNITS:	mm

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF LUXSHARETECH AND SHALL NOT BE REPRODUCED, COPIED OR CUED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF LUXSHARETECH

PART NO.:	SEE TABLE 1
TITLE:	Q112 2X2 CAGE WITH HS&LP
APPD:	RONGZHE GUO 2026.06.24
CHKD:	HENGSHAN CHENG 2026.06.24
DRAW:	BAUYU DUAN 2026.06.24


LUXSHARETECH

CUSTOMER P/N:

N/A


DWG NO:

PQPC22-E600-F0S-0R-01




SCALE	SHEET	REV.
1:1	3/6	A


PRELIMINARY




DETAIL F





DETAIL E
SCALE 2:1


X.± 1.0	X.°±3	PART NO.: SEE TABLE 1	LUXSHARETECH		
.X± 0.35	.X°±2.5				
.XX± 0.25	.XX°±1.5	TITLE: Q112 2X2 CAGE WITH HS&LP	CUSTOMER P/N: N/A		
.XXX± 0.10	.XXX°±0.5				
UNITS:	mm				
THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF LUXSHARETECH AND SHALL NOT BE REPRODUCED, COPIED OR CUED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF LUXSHARETECH		APPD: RONGZHE GUO 2026.06.24	DWG NO: PQPC22—E600—F0S—0R—01		
		CHKD: HENGSHAN CHENG 2026.06.24			
		DRAW: BAUYU DUAN 2026.06.24		SCALE 1:1	SHEET 4/6



PRELIMINARY



BELLY TO BELLY MOUNTING
(FOR REFERENCE ONLY)

X.± 1.0	X.°±3	PART NO.: SEE TABLE 1	LUXSHARETECH		
.X± 0.35	.X°±2.5				
.XX± 0.25	.XX°±1.5	TITLE: Q112 2X2 CAGE WITH HS&LP	CUSTOMER P/N: N/A		
.XXX± 0.10	.XXX°±0.5				
UNITS:	mm				
THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF LUXSHARETECH AND SHALL NOT BE REPRODUCED, COPIED OR CUED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF LUXSHARETECH	APPD: RONGZHE GUO 2026.06.24		DWG NO: PQPC22—E600—F0S—0R—01		
	CHKD: HENGSHAN CHENG 2026.06.24				
	DRAW: BAUYU DUAN 2026.06.24			SCALE	SHEET
		1:1		6/6	A