



CUSTOMER DRAWING

PRELIMINARY

REV.	DESCRIPTION	DESIGN	APPROVAL	DATE
A	NEW DESIGN	BAIYU DUAN	RONGZHE GUO	2026.06.24



NOTES:

- 1.MATERIAL:
CAGE ASSEMBLY: STAINLESS STEEL
EMI SPRING: COPPER ALLOY/STAINLESS STEEL
HEAT SINK: ALUMINUM
CLIP: STAINLESS STEEL
LIGHT PIPE: POLYCARBONATE
LIGHT PIPE COVER: SILICON RUBBER
- 2.FINISH:
EMI SPRING: NICKEL PLATING/NO PLATING.
HEAT SINK: ANODIZE.
- 3.MINIMUM PC BOARD THICKNESS:
SINGLES SIDED:1.57 MIN.
DOUBLE SIDED: 2.36 MIN.
- 4.HARMFUL MATERIAL AND PROCESS CONTROL,
PLEASE FOLLOW DOC.NO."QW-Q-043" AND RoHS2.0&HF.








TABLE 1:


PQPC24-E120-F0S-OR	ANODIZE (NATURAL)
PQPC24-E600-F0S-OR	ANODIZE (BLACK)
PART NUMBER	REMARK


X.± 1.0		X.°±3		PART NO.: SEE TABLE 1	LUXSHARETECH					
.X± 0.35		.X°±2.5								
.XX± 0.25		.XX°±1.5			TITLE: Q112 2X4 CAGE WITH HS&LP	CUSTOMER P/N: N/A				
.XXX± 0.10		.XXX°±0.5								
UNITS:		mm								
THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF LUXSHARETECH AND SHALL NOT BE REPRODUCED, COPIED OR CUED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF LUXSHARETECH				APPD: RONGZHE GUO 2026.06.24			DWG NO: PQPC24-E600-F0S-0R-01			
				CHKD: HENGSHAN CHENG 2026.06.24						
				DRAW: BAIYU DUAN 2026.06.24				SCALE	SHEET	REV
			1:1	1/6	A					













X:± 1.0	X.°±3
.X± 0.35	.X°±2.5
.XX± 0.25	.XX°±1.5
.XXX± 0.10	.XXX°±0.5
UNITS:	mm

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF LUXSHARETECH AND SHALL NOT BE REPRODUCED, COPIED OR CUED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF LUXSHARETECH


PART NO.:	SEE TABLE 1
TITLE:	Q112 2X4 CAGE WITH HS&LP
APPD:	RONGZHE GUO 2026.06.24
CHKD:	HENGSHAN CHENG 2026.06.24
DRAW:	BAIYU DUAN 2026.06.24

LUXSHARETECH			
CUSTOMER P/N: N/A			
DWG NO: PQPC24—E600—F0S—0R—01			
	SCALE	SHEET	REV.
	1:1	3/6	A


PRELIMINARY



DETAIL F



DETAIL E
SCALE 2:1

X.± 1.0	X.°±3	PART NO.: SEE TABLE 1	LUXSHARETECH			
.X± 0.35	.X°±2.5					
.XX± 0.25	.XX°±1.5	TITLE: Q112 2X4 CAGE WITH HS&LP	CUSTOMER P/N: N/A			
.XXX± 0.10	.XXX°±0.5					
UNITS:	mm	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF LUXSHARETECH AND SHALL NOT BE REPRODUCED, COPIED OR CUED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF LUXSHARETECH	DWG NO: PQPC24-E600-F0S-0R-01			
APPD: RONGZHE GUO 2026.06.24						
CHKD: HENGSHAN CHENG 2026.06.24						
DRAW: BAIYU DUAN 2026.06.24			SCALE	SHEET	REV.	
			1:1	4/6	A	

