








RECOMMENDED PCB LAYOUT SINGLE TYPE
PCB TOLERANCE: ±0.05

Note:
1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMERS.
2. THIS AREA DENOTES COMPONENTS KEEP-OUT (TRACES ALLOWED)
3. CROSS HATCHED AREA DENOTES WHEN SURFACE TRACES ARE PERMITTED
4. HATCHED AREA DENOTES COMPONENT AND TRACE KEEP-OUT (EXCEPT CHASSIS GROUND)

X:± 1	X:°±3	PART NO.: QQPC11-E000-F9S-0R	LUXSHARETECH		
.X± 0.35	.X°±2.5				
.XX± 0.25	.XX°±1.5	TITLE: QSFP224 CAGE,1X1	CUSTOMER P/N: N/A		
.XXX± 0.100	.XXX°±0.5		DWG NO: QQPC11-E000-F9S-0R-000		
UNITS:	mm	APPD: RONGZHE GUO 2026.06.22		SCALE	SHEET
THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF LUXSHARETECH AND SHALL NOT BE REPRODUCED, COPIED OR CUED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF LUXSHARETECH		CHKD: HENGSHAN CHENG 2026.06.22		1:1	2/4
		DRAW: BAIYU DUAN 2026.06.22		REV.	A



X.± 1	X.°±3
.X± 0.35	.X°±2.5
.XX± 0.25	.XX°±1.5
.XXX± 0.100	.XXX°±0.5
UNITS:	mm

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF LUXSHARETECH AND SHALL NOT BE REPRODUCED, COPIED OR CUED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF LUXSHARETECH

PART NO.:
QQPC11-E000-F9S-0R

TITLE:
QSFP224 CAGE,1X1

APPD: RONGZHE GUO 2026.06.22

CHKD: HENGSHAN CHENG 2026.06.22

DRAW: BAIYU DUAN 2026.06.22


LUXSHARETECH

CUSTOMER P/N:
N/A


DWG NO:
QQPC11-E000-F9S-0R-000

SCALE	SHEET	REV.
1:1	3/4	A



CUSTOMER DRAWING



SINGLE SIDE MOUNTING



BELLY TO BELLY SIDE MOUNTING



X:± 1	X.°±3
.X± 0.35	.X°±2.5
.XX± 0.25	.XX°±1.5
.XXX± 0.100	.XXX°±0.5
UNITS:	mm
THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF LUXSHARETECH AND SHALL NOT BE REPRODUCED, COPIED OR CUED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF LUXSHARETECH	

PART NO.: PQPC11-E000-F9S-0R	
TITLE: QSFP224 CAGE,1X1	
APPD: RONGZHE GUO 2026.06.22	
CHKD: HENGSHAN CHENG 2026.06.22	
DRAW: BAIYU DUAN 2026.06.22	

LUXSHARETECH	
CUSTOMER P/N: N/A	
DWG NO: PQPC11-E000-F9S-0R-000	
	SCALE
	1:1
	SHEET
	4/4
	REV.
	A