










8	7	6	5	4	3	2	1			
CUSTOMER DRAWING										
PIN ASSIGNMENT: ALL GND PINS ARE NOT CONNECTED										
Pin #	Deification	Pin #	Deification	Pin #	Deification	Pin #	Deification			
A37	GND	B37	GND	A62	GND	B62	GND			
A36	SIGNAL	B36	SIGNAL	A61	SIGNAL	B61	SIGNAL			
A35	SIGNAL	B35	SIGNAL	A60	SIGNAL	B60	SIGNAL			
A34	GND	B34	GND	A59	GND	B59	GND			
A33	SIGNAL	B33	SIGNAL	A58	SIGNAL	B58	SIGNAL			
A32	SIGNAL	B32	SIGNAL	A57	SIGNAL	B57	SIGNAL			
A31	GND	B31	GND	A56	GND	B56	GND			
A30	SIGNAL	B30	SIGNAL	A55	SIGNAL	B55	SIGNAL			
A29	SIGNAL	B29	SIGNAL	A54	SIGNAL	B54	SIGNAL			
A28	GND	B28	GND	A53	GND	B53	GND			
A27	SIGNAL	B27	SIGNAL	A52	SIGNAL	B52	SIGNAL			
A26	SIGNAL	B26	SIGNAL	A51	SIGNAL	B51	SIGNAL			
A25	GND	B25	GND	A50	GND	B50	GND			
A24	SIGNAL	B24	SIGNAL	A49	SIGNAL	B49	SIGNAL			
A23	SIGNAL	B23	SIGNAL	A48	SIGNAL	B48	SIGNAL			
A22	GND	B22	GND	A47	GND	B47	GND			
A21	SIGNAL	B21	SIGNAL	A46	SIGNAL	B46	SIGNAL			
A20	SIGNAL	B20	SIGNAL	A45	SIGNAL	B45	SIGNAL			
A19	GND	B19	GND	A44	GND	B44	GND			
A18	SIGNAL	B18	SIGNAL	A43	SIGNAL	B43	SIGNAL			
A17	SIGNAL	B17	SIGNAL	A42	SIGNAL	B42	SIGNAL			
A16	GND	B16	GND	A41	GND	B41	GND			
A15	SIGNAL	B15	SIGNAL	A40	SIGNAL	B40	SIGNAL			
A14	SIGNAL	B14	SIGNAL	A39	SIGNAL	B39	SIGNAL			
A13	GND	B13	GND	A38	GND	B38	GND			
A12	SIGNAL	B12	SIGNAL							
A11	SIGNAL	B11	SIGNAL							
A10	GND	B10	GND							
A9	SIGNAL	B9	SIGNAL							
A8	SIGNAL	B8	SIGNAL							
A7	GND	B7	GND							
A6	SIGNAL	B6	SIGNAL							
A5	SIGNAL	B5	SIGNAL							
A4	GND	B4	GND							
A3	SIGNAL	B3	SIGNAL							
A2	SIGNAL	B2	SIGNAL							
A1	GND	B1	GND							
				X.± 0.50	X.°± 3	PART NO.: PMC124-3X03-X0X-1H		LUXSHARETECH		
				.X± 0.30	.X°± 2.5	TITLE: New MCIO 124Pin VT SMT type		CUSTOMER P/N: N/A		
				.XX± 0.20	.XX°±1.5	APPD: XIAOGANG LIU 2026.07.14		DWG NO: PMC124-3X03-X0X-1H-000		
				.XXX± 0.10	.XXX°± 0.5	CHKD: KAIS SONG 2026.07.14				
				UNITS:	mm	DRAW: KYSON XIONG 2026.07.14				
				THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF LUXSHARETECH AND SHALL NOT BE REPRODUCED, COPIED OR CUED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF LUXSHARETECH						
								SCALE 1:1	SHEET 3/4	REV. A1
8	7	6	5	4	3	2	1			

8	7	6	5	4	3	2	1	
CUSTOMER DRAWING				REV.	DESCRIPTION	DESIGN	APPROVAL	DATE



NOTE 2:
1. CARTON SIZE 340L X 340W X 325H
2. PREFER TO AMTA LABELING STANDARD.
3. CARTON CLOSURES MUST BE SEALES WITH TAPE.
4. 800PCS/CARTON.

NOTE 1 :
1. MATERIAL:
CARRIER TAPE: POLYSTYRENE, BLACK
COVER TAPE: TRANSPARENT POLYSTYRENE
REEL: POLYSTYRENE, Blue.
2. ALL TAPE AND REEL SPECIFICATION FOLLOW EIA-481 STANDARD.
3. THIS PRODUCT DOESN'T CONTAIN ENVIRONMENTAL HAZRODOUS PER DIRECTIVE 2002/95/EC FOR RoHS.

X.± 0.50	X.°± 3	PART NO.: PMC124-3X03-X0X-1H	LUXSHARETECH							
.X± 0.30	.X°± 2.5									
.XX± 0.20	.XX°±1.5	TITLE: New MCIO 124Pin VT SMT type	CUSTOMER P/N: N/A							
.XXX± 0.10	.XXX°± 0.5									
UNITS:	mm	APPD: XIAOGANG LIU 2026.07.14 CHKD: KAIS SONG 2026.07.14 DRAW: KYSON XIONG 2026.07.14	DWG NO: PMC124-3X03-X0X-1H-000							
THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF LUXSHARETECH AND SHALL NOT BE REPRODUCED, COPIED OR CUED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF LUXSHARETECH										
				SCALE 1:1	SHEET 4/4	REV. A1				