










CUSTOMER DRAWING

REV.	DESCRIPTION	DESIGN	APPROVAL	DATE
A1	Modify the Logo	Andi Wu	Rongzhe Guo	2022.05.26

NOTES:
1.MATERIAL:
PLASTICS: LCP UL94-V0,COLOR:BLACK.
CONTACT: COPPER ALLOY.
SHELL: STAINLEE.
2.FINISH:
CONTACT: Au 30u” PLATING OVER NICKEL ON CONTACT AREA AND MATTE TIN
PLATING OVER NICKEL ON SOLDER TAIL.
SHELL: SOLDERABLE NICKEL PLATING OVER ALL.
3.HARMFUL MATERIAL AND PROCESS CONTROL FOLLOW DOC. NO.”QW-Q-043”&RoHS 2.0+HF.
4.DESIGNED TO CONFORM WITH SFF-TA-1016.
5.FOR 32Gbps PCIe GEN5.0 APPLICATION.
PMC074-3X00-656-7H
Plating:
3: 15u” GOLD
5: 30u” GOLD



X.± 0.50	X.°± 3	PART NO.:	LUXSHARETECH		
.X± 0.30	.X°± 2.5	PMC074-3X00-656-7H			
.XX± 0.20	.XX°± 1.5	TITLE:	CUSTOMER P/N:		
.XXX± 0.10	.XXX°± 0.5	MCIO 74Pin Vertical SMT type For DELL	N/A		
UNITS:	mm	APPD: Rongzhe Guo 2020.10.15	DWG NO:		
THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF LUXSHARETECH AND SHALL NOT BE REPRODUCED, COPIED OR CUED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF LUXSHARETECH		CHKD: Xiaogang L 2020.10.15	PMC074-3X00-656-7H-56		
		DRAW: Jackson_lee 2020.10.15		SCALE	SHEET
				1:1	1/4
				REV.	A1



8

7

6

5

4

3

2

1

CUSTOMER DRAWING

REV.

DESCRIPTION

DESIGN

APPROVAL

DATE

E

D

C

B

A

E

D

C


B

A

With Sidebands Pin Assignment:





PIN A1、A4、A7、A13、A16、A19、
A22、A25、A31、A34、A37、B1、
B4、B7、B13、B16、B19、B22、
B25、B31、B34、B37 BE CONNECTED

Pin #	Deification	Pin #	Deification
A37	GND	B37	GND
A36	SIGNAL	B36	SIGNAL
A35	SIGNAL	B35	SIGNAL
A34	GND	B34	GND
A33	SIGNAL	B33	SIGNAL
A32	SIGNAL	B32	SIGNAL
A31	GND	B31	GND
A30	SIDEBAND	B30	SIDEBAND
A29	SIDEBAND	B29	SIDEBAND
A28	SIDEBAND	B28	SIDEBAND
A27	SIDEBAND	B27	SIDEBAND
A26	SIDEBAND	B26	SIDEBAND
A25	GND	B25	GND
A24	SIGNAL	B24	SIGNAL
A23	SIGNAL	B23	SIGNAL
A22	GND	B22	GND
A21	SIGNAL	B21	SIGNAL
A20	SIGNAL	B20	SIGNAL
A19	GND	B19	GND
A18	SIGNAL	B18	SIGNAL
A17	SIGNAL	B17	SIGNAL
A16	GND	B16	GND
A15	SIGNAL	B15	SIGNAL
A14	SIGNAL	B14	SIGNAL
A13	GND	B13	GND
A12	SIDEBAND	B12	SIDEBAND
A11	SIDEBAND	B11	SIDEBAND
A10	SIDEBAND	B10	SIDEBAND
A9	SIDEBAND	B9	SIDEBAND
A8	SIDEBAND	B8	SIDEBAND
A7	GND	B7	GND
A6	SIGNAL	B6	SIGNAL
A5	SIGNAL	B5	SIGNAL
A4	GND	B4	GND
A3	SIGNAL	B3	SIGNAL
A2	SIGNAL	B2	SIGNAL
A1	GND	B1	GND

X.± 0.50	X.°± 3	PART NO.: PMC074-3X00-656-7H	LUXSHARETECH			
.X± 0.30	.X°± 2.5					
.XX± 0.20	.XX°± 1.5					
.XXX± 0.10	.XXX°± 0.5	TITLE: MCIO 74Pin Vertical SMT type For DELL	CUSTOMER P/N: N/A			
UNITS:	mm	APPD: Rongzhe Guo 2020.10.15	DWG NO: PMC074-3X00-656-7H-56			
THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF LUXSHARETECH AND SHALL NOT BE REPRODUCED, COPIED OR CUED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF LUXSHARETECH		CHKD: Xiaogang L 2020.10.15		SCALE	SHEET	REV.
		DRAW: Jackson_lee 2020.10.15		1:1	3/4	A1

8
CUSTOMER DRAWING

4		3		2		1	
REV.	DESCRIPTION		DESIGN		APPROVAL		DATE



NOTE 2:

1. CARTON SIZE 340L X 340W X325H
2. PREFER TO AMTA LABELING STANDARD.
3. CARTON CLOSURES MUST BE SEALES WITH TAPE.
4. 1000PCS/CARTON.

NOTE 1 :

1.MATERIAL:


CARRIER TAPE: POLYSTYRENE, BLACK

COVER TAPE: TRANSPARENT POLYSTYRENE

REEL: POLYSTYRENE, Blue.

2.ALL TAPE AND REEL SPECIFICATION FOLLOW EIA-481 STANDARD.

3.THIS PRODUCT DOESN'T CONTAIN ENVIRONMENTAL HAZRODOUS PER DIRECTIVE 2002/95/EC FOR RoHS.

X.±0.50	X.°±3	PART NO.: PMC074-3X00-656-7H	LUXSHARETECH						
.X±0.30	.X°±2.5								
.XX±0.20	.XX°±1.5	TITLE: MCIO 74Pin Vertical SMT type For DELL	CUSTOMER P/N: N/A						
.XXX±0.10	.XXX°±0.5								
UNITS:	mm								
THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF LUXSHARETECH AND SHALL NOT BE REPRODUCED, COPIED OR CUED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF LUXSHARETECH	APPD: Rongzhe Guo 2020.10.15	DWG NO: PMC074-3X00-656-7H-56							
	CHKD: Xiaogang L 2020.10.15								
	DRAW: Jackson_lee 2020.10.15	 <table><tr><th>SCALE</th><th>SHEET</th><th>REV.</th></tr><tr><td>1:1</td><td>4/4</td><td>A1</td></tr></table>			SCALE	SHEET	REV.	1:1	4/4
SCALE	SHEET	REV.							
1:1	4/4	A1							

	4	3	2	1
--	---	---	---	---